

ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 236 1990

Published by Springer International on behalf of the Board of Directors

Astronomy and Astrophysics

A European Journal

Board of Directors

Chairman: G. Contopoulos
(Greece)

Vice Chairman: G. Setti
(Italy)

D. Alloin
(France)

R. Canal
(Spain)

H. Haupt
(Austria)

A. G. Hearn
(The Netherlands)

A. Maeder
(Switzerland)

K. Mattila
(Finland)

P. G. Mezger
(Germany, Federal Republic)

P. E. Nissen
(Denmark)

Aa. Sandqvist
(Sweden)

E. Schatzman
(France)

E. H. Schröter
(Germany, Federal Republic)

P. Smeyers
(Belgium)

H. van der Laan
(ESO)

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Meudon
92 195 Meudon Principal Cedex
(France)
Tel. (31-1) 45-07-06-30
Telex (42) 270912 obsastr
Telefax (33-1) 46266293

E-Mail:
EARN AANDA @ FRMEU 51
SPAN MESIOA::AANDA

M. Grewing
Astronomy and Astrophysics
Editorial Office
c/o Astronomisches Institut
Waldhäuserstrasse 64
7400 Tübingen
(Fed. Rep. of Germany)
Tel. (49-7071) 294982
Telefax (49-07071) 293458
Telex (41) 7262714 ait d
E-Mail:
DatexP 0262-45707130039
SPAN AITMVX::AAPTUE

Letter-Editor

S. R. Pottasch
Kapteyn Astronomical Institute
P. O. Box 800
9700 AV Groningen
(The Netherlands)
Tel. (31-50) 634093
Telex (44) 53572 stars nl
Telefax (31-50) 634033

Editing Secretaries

Miss B. Perche
Mrs. M. Rougeot

Mrs. U. Hilkes

Mrs. B. J. Boersma-Reed

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO).

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International 1990

Printed in Germany

Printer: Saladruck Steinkopf & Sohn, Berlin

Bookbinder: Lüderitz & Bauer, Berlin

Contents

Letters to the Editor

- TeV gamma rays from the radio pulsar PSR 0355 + 54
*Bhat, P.N., Acharya, B.S., Gandhi, V.N.,
 Ramana Murthy, P.V., Sathyanarayana, G.P.,
 Vishwanath, P.R.* L1
- Abundances in two new ultra-metal-poor giants
Molaro, P., Bonifacio, P. L5
- Soft X-ray line broadening in solar flares
Alexander, D. L9
- Spectropolarimetric observations of Raman scattered
 emission lines in symbiotic stars
Schmid, H.M., Schild, H. L13
- The evolution of the flux density of Supernova 1987 A at
 1.3 mm
*Biermann, P.L., Chini, R., Haslam, G., Kreysa, E.,
 Lemke, R.* L17
- A new campaign of observation of the mutual events of the
 Galilean satellites in 1991
*Arlot, J.E., Thuillot, W., Sevre, F., Vu, D.T.,
 Descamps, P.* L19
- A peculiar high density H II blob ejected by a WC9 star in
 the Large Magellanic Cloud
Heydari-Malayeri, M., Melnick, J., Van Drom, E. L21
- First observations of a corona of a cool bright giant with
 height resolution
Reimers, D., Baade, R., Schröder, K.-P., Ising, J. L25
- The 21 micron emission band in the IRAS/LRS spectra of
 H II regions: evidence of iron oxide in the interstellar me-
 dium
Cox, P. L29
- The galactic dynamo in perfectly conducting surround-
 ings
Meinel, R., Elsner, D., Rüdiger, G. L33

Cosmology

- Intergalactic magnetic field and galactic warps
Battaner, E., Florido, E., Sanchez-Saavedra, M.L. 1
- Supernova studies. IV. The global value of H_0 from super-
 novae Ia and the peculiar motion of field galaxies
Tammann, G.A., Leibundgut, B. 9
- An optical study of the $z=0.437$ 21-cm absorber in front
 of 3C 196
Boissé, P., Boulade, O. 291

Extragalactic astronomy

- Radio variability in complete samples of extragalactic
 radio sources at 1.4 GHz
Ryś, S., Machalski, J. 15
- The environment and the origin of twisting in early-type
 galaxies
Rampazzo, R., Buson, L.M. 25
- Radio observations and optical photometry of the edge-on
 spiral galaxy NGC 4631
Hummel, E., Dettmar, R.-J. 33
- The radio fine structure of the BL Lacertae object
 Mk 421
Zhang, F.J., Bâath, L.B. 47
- The extended narrow line region of NGC 4151. I. Emission
 line ratios and their implications
*Penston, M.V., Robinson, A., Alloin, D., Appenzeller, I.,
 Aretxaga, I., Axon, D.J., Baribaud, T., Barthel, P.,
 Baum, S.A., Boisson, C., de Bruyn, A.G., Clavel, J.,
 Colina, L., Dennefeld, M., Díaz, A., Dietrich, M.,
 Durret, F., Dyson, J.E., Gondhalekar, P.,
 van Groningen, E., Jablonka, P., Jackson, N.,
 Kollatschny, W., Laurikainen, E., Lawrence, A.,
 Masegosa, J., McHardy, I., Meurs, E.J.A., Miley, G.,
 Moles, M., O'Brien, P., O'Dea, C., del Olmo, A.,
 Pedlar, A., Perea, J., Pérez, E., Pérez-Fournon, I.,
 Perry, J., Pilbratt, G., Rees, M., Robson, I.,
 Rodríguez-Pascual, P., Rodríguez Espinosa, J.M.,
 Santos-Lleo, M., Schilizzi, R., Stasińska, G.,
 Stirpe, G.M., Tadhunter, C., Terlevich, E., Terlevich, R.,
 Unger, S., Vila-Vilaró, V., Vilchez, J., Wagner, S.J.,
 Ward, M.J., Yates, G.J.* 53
- Dense gas in nearby galaxies. III. HC_3N as an extragalactic
 density probe
Mauersberger, R., Henkel, C., Sage, L.J. 63
- Galaxies around luminous quasars
Véron-Cetty, M.-P., Woltjer, L. 69
- Effect of X-ray spectra of Seyfert galaxies on the cosmic X-
 ray background
Morisawa, K., Matsuoka, M., Takahara, F., Piro, L. 299
- Multiple shocks in hot spots as the source of the spectral
 index-radio luminosity correlation in extended extraga-
 lactic radio sources
Gopal-Krishna, Wiita, P.J. 305

Investigation of high amplification events in light curves of gravitationally lensed quasars <i>Witt, H.J.</i>	311	Supernova studies. V. The luminosity function of supernovae of type II <i>Tammann, G.A., Schröder, A.</i>	149
A detailed study of the post-starburst galaxy NGC 1569. III. A hole in the gas distribution <i>Israel, F.P., van Driel, W.</i>	323	The coalescence of white dwarfs and Type I supernovae. The merged configuration <i>Mochkovitch, R., Livio, M.</i>	378
CO(1-0) emission from luminous infrared galaxies in the southern hemisphere <i>Mirabel, I.F., Booth, R.S., Garay, G., Johansson, L.E.B., Sanders, D.B.</i>	327	A comparative study of the evolution of a close binary using a standard and an improved technique for computing mass transfer <i>Kolb, U., Ritter, H.</i>	385
Environmental impact on the nuclear radio activity in spiral galaxies <i>Hummel, E., van der Hulst, J.M., Kennicutt, R.C., Keel, W.C.</i>	333	A nonradially pulsating Be star 28 Cygni: results from photometry <i>Pavlovski, K., Ružić, Ž.</i>	393
(RN) The use of [O III] narrow line emission for scaling spectrophotometric data in active galactic nuclei <i>Baribaud, T., Alloin, D.</i>	346	The nearby binary Gliese 866 A/B: orbit, masses, temperature, and composition <i>Leinert, Ch., Haas, M., Allard, F., Wehrse, R., McCarthy Jr., D.W., Jahreiß, H., Perrier, Ch.</i>	399
An attempt to detect Lyman α emission from objects associated with high-redshift QSO absorption systems: star formation at high redshifts <i>Deharveng, J.M., Buat, V., Bowyer, S.</i>	351	Absolute dimensions of early-type eclipsing binary stars. II. AH Cephei <i>Holmgren, D.E., Hill, G., Fisher, W.</i>	409
Galactic structure and dynamics		Stellar atmospheres	
The Maxwellian alternative to the dark matter problem in galaxies <i>Fahr, H.J.</i>	86	A study of the Herbig Ae-type star UX Orionis: its remarkable behaviour in the colour-magnitude diagram, and the properties of its dust shell <i>Bibo, E.A., Thé, P.S.</i>	155
(RN) Local kinematic properties of Population I (B5-F5)-type stars and galactic disk evolution <i>Gómez, A.E., Delhaye, J., Grenier, S., Jaschek, C., Arenou, F., Jaschek, M.</i>	95	A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. XII. The physical state of supergiant chromospheres at the transition from coronae to cool winds <i>Schröder, K.-P.</i>	165
Kinematics of a sample of globular clusters in the halo and the mass of M 31 <i>Federici, L., Fusi Pecci, F., Marano, B.</i>	99	Origin of the γ -ray spectra of Cygnus X-1 and Geminga <i>Bednarek, W., Giovannelli, F., Karakula, S., Tkaczyk, W.</i>	175
The runaway nature of distant early-type stars in the galactic halo <i>Conlon, E.S., Dufton, P.L., Keenan, F.P., Leonard, P.J.T.</i>	357	High-resolution spectroscopy of YY Orionis stars <i>Krautter, J., Appenzeller, I., Jankovics, I.</i>	416
Stellar clusters and associations		Rotational and long-term variations of HD 199 178: a double period activity cycle <i>Jetsu, L., Huovelin, J., Tuominen, I., Vilhu, O., Bopp, B.W., Pirola, V.</i>	423
High-metallicity effects in <i>BVRI</i> colour-magnitude diagrams: the globular cluster NGC 6553 <i>Ortolani, S., Barbuy, B., Bica, E.</i>	362	New calibrations of blanketing parameters Δm_2 and δm_1 in terms of [Fe/H] <i>Berthet, S.</i>	440
Interstellar polarization in the field of the globular cluster M 22 <i>Minniti, D., Coyne, G.V., Tapia, S.</i>	371	Angular diameters of ζ Aurigae-type supergiants by Michelson interferometry <i>Di Benedetto, G.P., Ferluga, S.</i>	449
Formation, structure and evolution of stars		Activity in late-type stars. VI. Optical photometry and UV spectroscopy of the active dMe star, FK Aquarii in late 1983 <i>Byrne, P.B., Butler, C.J., Lyons, M.A.</i>	455
The non-conservative evolution of massive binary systems <i>Huang, R.Q., Taam, R.E.</i>	107	Diffuse matter in space (including HII regions and planetary nebulae)	
HM Sagittae: the evolution of a symbiotic nova <i>Nussbaumer, H., Vogel, M.</i>	117	Discovery of a remarkable bipolar flow and exciting source in the ρ Ophiuchi cloud core <i>André, Ph., Martín-Pintado, J., Despois, D., Montmerle, T.</i>	180
Observations of supernovae 1989 A and 1989 B <i>Tsvetkov, D.Yu., Kimeridze, G.N., Volkov, I.M., Bartunov, O.S., Ikonnikova, N.P.</i>	133		
The separation of s-Cepheids from classical Cepheids and a new definition of the class <i>Antonello, E., Poretti, E., Reduzzi, L.</i>	138		

Dust and gas in the cores and the envelope in Sagittarius B 2

- Martin-Pintado, J., de Vicente, P., Wilson, T.L., Johnston, K.J.* 193

The β Pictoris circumstellar disk. X. Numerical simulations of infalling evaporating bodies

- Beust, H., Lagrange-Henri, A.M., Vidal-Madjar, A., Ferlet, R.* 202

Near-infrared morphology of young outflow sources

- Eiroa, C., Hodapp, K.-W.* 217

Extinction-independent determination of temperatures for central stars of planetary nebulae

- Grewing, M., Neri, R.* 223

Planetary nebulae as standard candles: the distance to the galactic center

- Pottasch, S.R.* 231

Dust-to-gas ratio and metallicity variations in nearby galaxies

- Issa, M.R., MacLaren, I., Wolfendale, A.W.* 237

Anatomy of a dark cloud: a multimolecular study of Barnard 1

- Bachiller, R., Menten, K.M., del Rio-Alvarez, S.* 461

Observational study of CS 776 and of diffuse band carriers in its circumstellar environment

- Le Bertre, T.* 472

New OH sources associated with young stellar objects

- Braz, M.A., Lépine, J.R.D., Sivagnanam, P., Le Squeren, A.M.* 479

Diffusive particle acceleration in spherically symmetric shock waves: supernova remnant origin of cosmic rays

- Markiewicz, W.J., Drury, L.O'C., Völk, H.J.* 487

The Sun

Alfvén wave solitons and solar intermediate drift bursts

- Treumann, R.A., Güdel, M., Benz, A.O.* 242

Solar magnetic field strength determinations from high spatial resolution filtergrams

- Keller, C.U., Solanki, S.K., Tarbell, T.D., Title, A.M., Stenflo, J.O.* 250

The turbulent stresses in the theory of the solar torsional oscillations

- Rüdiger, G., Kichatinov, L.L.* 503

Dynamics of the solar atmosphere. IV. Evanescent waves of small amplitude

- Deubner, F.-L., Fleck, B., Marmolino, C., Severino, G.* 509

Celestial mechanics and astrometry

Comparison of optical and radio positions of stars

- Morrison, L.V., Argyle, R.W., Requième, Y., Mazurier, J.M.* 256

Physical and chemical processes

Regularities and similarities in the widths of spectral lines perturbed by neutral atoms

- Dimitrijević, M.S., Peach, G.* 261

The photon spectra from beam interactions with matter and radiation

- Bednarek, W., Giovannelli, F., Karakula, S., Tkaczyk, W.* 268

Turbulent magnetic fields. I

- Chaboyer, B., Henriksen, R.N.* 275

Excitation of [C I] fine structure transitions by protons

- Roueff, E., Le Bourlot, J.* 515

Diffusion and acceleration of charged particles in a compressible turbulent medium

- Dolginov, A.Z., Silant'ev, N.A.* 519

(RN) Better Landé factors for iron-period elements

- Mathys, G.* 527

Instruments, data processing, and computational methods

Seeing diagnosis for calibration in speckle interferometry

- Haas, M.* 531

Erratum: The TIRGO infrared spectrometer (1–5 μ m)

- Lisi, F., Gennari, S., Salinari, P., Baffa, C., Bettarini, A., Biliotti, V., Marcucci, G., Morbidelli, L., Oliva, E., Sozzi, M.* 544

Abstracts of articles which have been published in A. & A. Suppl. Ser. 84, No. 2

Six centimetre VLA radio survey of compact planetary nebulae

- Aaquist, O.B., Kwok, S.* 289

A computed spectrum for the normal star ϵ Herculis (B3 IV) in the region 122.8–195.0 nm

- Castelli, F., Bonifacio, P.* 289

Analysis of the light variations of the Wolf-Rayet star WR 16

- Gosset, E., Vreux, J.-M., Manfroid, J., Remy, M., Sterken, C.* 289

UBVRI observations of Southern Hemisphere active stars

- Cutispoto, G.* 290

Papers accepted for publication in A. & A.

545